

**UTILITY PATENT APPLICATION
TRANSMITTAL UNDER 37 CFR 1.53(b)**

ATTORNEY DOCKET 80632DMW
Customer No. 01333

To: Commissioner for Patents
Box Patent Application
Washington, D.C. 20231

Express Mail Label No.

EM148179323US

Date:

8/18/00

**DIGITAL IMAGE PROCESSING SYSTEM AND
METHOD FOR EMPHASIZING A MAIN
SUBJECT OF AN IMAGE**

First Named Inventor (or Application Identifier):

Jiebo Luo, et al

Enclosed are:

1. ☒ Specification
2. ☐ 5 Sheet(s) of drawing(s)
3. ☒ Information Disclosure Statement Under 37 CFR 1.97.
4. Combined Declaration for Patent Application and Power of Attorney:
 - 4a. ☒ New
 - 4b. ☐ Copy from a prior application (37 CFR 1.63(d) (for continuation/divisional with Box 11 completed)
5. ☐ Incorporation by Reference (useable if Box 4b is checked) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☒ Assignment of the invention to **Eastman Kodak Company**
7. ☐ Certified copy of a priority document.
8. ☐ Associate Power of Attorney
9. ☐ Deletion of Inventor(s). Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).

10. ☐ If a 111A application prior to examination of the above-identified application, amend the specification at Page 1, after the title, by inserting the following:
--CROSS REFERENCE TO RELATED APPLICATION
Reference is made to and priority claimed from U.S. Provisional Application Serial No. , filed , entitled .

If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

11. ☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No: ,
12. ☒ Please address all written communications to Thomas H. Close, Patent Legal Staff, Eastman Kodak Company, 343 State Street, Rochester, NY 14650-2201.
Please Direct all telephone calls to David M. Woods at (716) 477-5256.

The filing fee has been calculated as shown below:

FOR:	NO. FILED	NO. EXTRA	RATE	FEE
BASIC FEE				\$ 690
TOTAL CLAIMS	90 - 20 =	70	x 18 =	\$ 1260
INDEPENDENT CLAIMS	6 - 3 =	3	x 78 =	\$ 234
MULTIPLE DEPENDENT CLAIM PRESENTED			+ 260	\$0
			TOTAL	\$ 2184

- ☒ Please charge my Eastman Kodak Company Deposit Account No. **05-0225** in the amount of \$ 2184 .

A duplicate copy of this sheet is enclosed

- ☒ The Commissioner is hereby authorized to charge any additional filing fees required under 37 CFR 1.16 or credit any overpayment to Eastman Kodak Company Deposit Account No. **05-0225**.

A duplicate copy of this sheet is enclosed.

David M. Woods

DMW/RGR

David M. Woods
Attorney for Applicants
Registration No. 27,171

Telephone: (716) 477-5256
Facsimile: (716) 477-4646

PATENT APPLICATION BASED ON: Docket Number 80632DMW

Inventor(s): Jiebo Luo
Robert T. Gray

Attorney: David M. Woods

Document ID: \DOCKETS\APPL.DOC

DIGITAL IMAGE PROCESSING SYSTEM AND METHOD FOR
EMPHASIZING A MAIN SUBJECT OF AN IMAGE

EASTMAN KODAK COMPANY
RESTRICTED INFORMATION

"Express Mail" mailing label number Em148179323WS
Date of Deposit April 18, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to "Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231

Robin G. Reeves

(Typed or printed name of
person mailing paper or fee)

Robin G. Reeves

(Signature of person mailing paper or fee)

DIGITAL IMAGE PROCESSING SYSTEM AND METHOD FOR EMPHASIZING A MAIN SUBJECT OF AN IMAGE

FIELD OF THE INVENTION

5 The present invention relates to processing of images made up of pixels, and more particularly to processing image pixels to emphasize the main subject of the image.

BACKGROUND OF THE INVENTION

10 It is known in the motion picture industry to manually identify the main subject of an individual image or frame of a motion picture, and then to manipulate the color values to obtain a desired emphasizing effect. The process is accomplished manually and usually requires the digitization of the image or frame into pixels and then manually outlining the subject of interest using a graphic user
15 interface on a computer terminal. The image pixels are then modified by changing the identified subject with respect to the background in some predetermined manner. In recent motion pictures, the effects of blurring the background or changing the background to black and white have been used. An example of the results of this technique can be seen in the motion picture "Pleasantville". This
20 manual process is very labor intensive and hence costly to implement. Yet, the effect is so desirable that motion picture producers are willing to invest the expense to produce images having these effects.

 There are several other similar effects that could be envisioned for use to good artistic affect. However, whatever affect is desired, the labor intensive
25 manual effort that is needed greatly limits the use of such techniques. Of course, these effects are also desirable for use in still photograph by amateur or professional photographers. Such use is similarly limited by the cost and inconvenience of the manual technique. In the case of still images, there is not only the manual labor required to manipulate the image, but the effort needed to
30 learn to use software that is capable of doing such manipulation. If such image

manipulation is not done regularly, the user has a certain amount of re-learning to do each they desire to manipulate an image.

Consequently, a need exists in the art for an automated method of processing an image having pixels to emphasize a main subject in the image.

5

SUMMARY OF THE INVENTION

The need in the art is addressed by the system and methods of the present invention. The present invention includes a system and method of modifying an image made up of pixels, by automatically identifying a main
 10 subject of the image and altering pixel values to emphasize the main subject. This is accomplished by, among other techniques, altering pixel values in the main subject or altering pixel values in the background, or both.

The process of identifying the main subject may include the step of segmenting the image into a plurality of regions based on uniform image
 15 characteristics. Then, calculating a level of saliency for each of the plurality of regions, and assigning a believe value to the pixels corresponding to the levels of saliency of the image they are a part of. The image characteristic used for segmenting may be color or texture, among others.

The level of saliency is calculated as proportional to a region
 20 feature, or a combination of region features. The region features may be structural, semantic or other region features as may be contemplated from time to time. The belief values are then ordered according to a probability that a region is a main subject of the image.

In another embodiment of the present invention, a system and
 25 method modify an image having pixels through the following routine. First, automatically generating a main subject belief map containing values indicating the location of a plurality of regions in the image, where the main subject belief map containing at least a first belief value associated with one of the regions, and, the belief values are related to the probability that the associated region is a main

subject of the image. Next, altering pixel values in the plurality of regions in relation to the associated belief value.

5 In a further embodiment, the system and method determine a threshold belief value discriminating main subject regions and background regions, and then desaturates the pixels in the background regions. The desaturation step may be accomplished by calculating the luminance values for the pixels in the background regions, and replacing the color values of the pixels in the background regions with their respective luminance values.

10 In a further embodiment, the system and method computes a saturation value for each pixel, and alters the pixel saturation values according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and enhances saturation of the pixels in the main subject regions.

15 In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and computes a saturation value for each pixel in the background regions, then altering the pixel saturation values in the background regions according to the associated belief values.

20 In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and computes a saturation value for each pixel in the main subject regions, and altering the pixel saturation values in the main subject regions according to the associated belief values.

25 In a further embodiment, the system and method computes a luminance value for each pixel, and altering the pixel luminance values according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background

regions, and, alters the pixel luminance values in the main subject regions according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and alters the pixel luminance values in the main subject regions according to the associated belief values.

In a further embodiment, the system and method computes a hue value for each pixel, and alters the pixel hue values according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and alters the pixel hue values in the main subject regions according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and alters the pixel hue values in the main subject regions according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and inverts the pixel hue values in the main subject regions.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and inverts the pixel hue values in the background regions.

In a further embodiment, the system and method computes a blur value for each pixel, and alters the pixel blur values according to the associated belief values.

In a further embodiment, the system and method determines a threshold belief value discriminating main subject regions and background regions, and calculates a pixel blur value for each pixel, and alters the pixel blur values in the background regions according to the associated belief values.

These and other aspects, objects, features and advantages of the present invention will be more clearly understood and appreciated from a review of the following detailed description of the preferred embodiments and appended claims, and by reference to the accompanying drawings.

5

BRIEF DESCRIPTION OF THE DRAWINGS

The subject matter of the invention is described with reference to the embodiments shown in the drawings.

Fig. 1 is flow chart showing the step of generating the main subject
10 belief map in the present invention.

Fig. 2 is a flow chart showing the steps in the method of the present invention according to a first embodiment.

Fig. 3 is a flow chart showing the steps in the method of the present invention according to an alternative embodiment.

Fig. 4 is a flow chart showing the steps in the method of the present
15 invention according to a further alternative embodiment.

Fig. 5 is a schematic of a photograph used in describing the present invention.

20

DESCRIPTION OF THE INVENTION

While the present invention is described herein with reference to illustrative embodiments for particular applications, it should be understood that the invention is not limited thereto. Those having ordinary skill in the art and access to the teachings provided herein will recognize additional modifications,
25 applications, and embodiments within the scope thereof and additional fields in which the present invention would be of significant utility.

The present invention includes a method of automatically detecting the main subject of an image and then automatically altering the value of pixels in the image to produce an altered image that emphasizes the image subject. This

automation provides the fundamental advantage of eliminating the need for manual intervention.

There are a number of ways in which the main subject of an image can be emphasized, as will be discussed hereinafter. The main subject can be emphasized by reducing the color saturation of the background to black and white while leaving the main subject at its original color saturation levels. The background can remain at its original color saturation levels while the color saturation of the main subject is enhanced to create an emphasis effect. Or, a combination of changing the saturation of the main subject and background can be used.

In the present invention, the main subject is not differentiated from the background in a mere binary fashion. Rather, a gradient of belief values (importance map) are calculated that are related to the confidence a particular region in an image is the main subject or a background subject. By utilizing a gradient or 'continuously valued' main subject belief map, emphasis can be applied to the main subject so a gradual transition from the main subject to the background occurs, whereby artifacts resulting from the main subject emphasis are less noticeable and therefore less objectionable to an observer.

Because there is a gradient of belief values, threshold values can be selected to separate main subject from background, or to set a plurality of levels, such as main subject, secondary subject, and background subject. With this in mind, it is understood that the image saturation levels, or any other pixel characteristic, could be set to three or more levels, thereby emphasizing each of these areas in a different way. As an example, the main subject could have enhanced saturation levels, the secondary subject could have normal saturation levels, and the background could have zero saturation levels, rendering that section in black and white.

In another advantageous use of the gradient of belief values, the image need not be divided by threshold values into sections, but each gradient step of belief values may become a section in and of itself. In this way, the pixel

values may be adjusted according to these gradients producing an image where the desired emphasis follows this gradient. An example is an image where pixels assigned the highest belief value are altered to enhance the saturation and pixels assigned intermediate belief values are each gradually reduced in saturation level until pixels with the lowest belief values have zero, or black and white, saturation values. As will be discussed more fully hereinafter, this advantage of the present invention is important in mitigating the probability that the definition of the belief values will differ somewhat from the subjected interpretation a particular viewer of the image may have as to what the main subject of the image actually is.

According to the present invention, saturation level adjustment is just one way to alter an image to emphasize the main subject. In digital imagery, the pixel values can be defined in several ways. The primary color values red, green, and blue can be used, or, the hue, saturation, and luminance values can be used. Other systems have and can be conceived to define a pixel value. Transformation calculation are used to transform the between these systems. Such a transformation can be expressed as:

$$(hue^{original}, saturation^{original}, luminance^{original}) = T(r^{original}, g^{original}, b^{original}) \quad [1]$$

where r, g, and b express red, green and blue pixel values respectively.

The present invention contemplates the adjustment of any of these values, or combinations of these values to emphasize the main subject in a binary fashion, or according to the aforementioned gradient approach. As an example the main subject may be emphasized by increasing its level of luminance in the altered image. Similarly, the background sections may be de-emphasized by reducing their levels of luminance.

Respecting adjustments to hue, the main subject can be emphasized by adjusting its hue according to the belief value. The hue may be inverted in the main subject, or the background subject, to create a positive/negative effect which

emphasizes the main subject. Also, the hue value may be altered according to a gradient of belief values.

Reference is directed to Figure 1, which is a flow diagram showing how the main subject belief values are assigned to pixels in an image. In

5 summary, an image described by a plurality of pixels is input at step 2. The image is first segmented into homogenous regions at step 4 by analysis of the color or texture of each region. At step 6, features are extracted, which may include structural or semantic features of the image. The process conducts a belief computation at step 8 based, in part, on the extracted feature information, and then
10 assigns belief values to pixels at step 10. The same belief value is assigned to all pixels within each region. The resultant information is compiled into a belief map for the image at step 12. The belief map therefore contains data in the belief value for all pixels in the image on a region by region basis as well as data on the location of each region.

15 The matter of main subject detection has been developed and is the subject matter of a co-pending patent application assigned to the assignee of the present invention. The system of main subject detection in a consumer-type photographic image from the perspective of a third-party observer has been developed and is described in U.S. Patent Application Serial No. 09/223,860 filed
20 to US Patent and Trademark Office on December 31, 1998. The contents of which are hereby incorporated by reference thereto.

Main subject detection provides a measure of saliency or relative importance for different regions that are associated with different subjects in an image. This is the aforementioned gradients of belief values assigned to pixels in
25 an image.

Conventional wisdom in the field of computer vision, which reflects how a human observer would perform such tasks as main subject detection and cropping, calls for a problem-solving path via object recognition and scene content determination according to the semantic meaning of recognized objects.

With respect to the present invention and the reference incorporated by reference, the main subject detection system is built upon mostly low-level vision features with semantic information integrated whenever available. This main subject detection system has a number of sub-tasks, including region segmentation, perceptual grouping, feature extraction, and probabilistic reasoning. In particular, a large number of features are extracted for each segmented region in the image to represent a wide variety of visual saliency properties, which are then input into a tunable, extensible probability network to generate a belief map containing a continuum of values.

Using main subject detection, regions that belong to the main subject are generally differentiated from the background clutter in the image. Thus, selective emphasis of main subjects or de-emphasis of background becomes possible. Automatic subject emphasis is a nontrivial operation that was considered impossible for unconstrained images, which do not necessarily contain uniform background, without a certain amount of scene understanding. In the absence of content-driven subject emphasis, conventional systems rely on a manually created mask to outline where the main subject is. This manual procedure is laborious and has been used in movie production studios. However, it is not feasible to use a manual procedure for commercial mass photo finishing for consumers.

Again, referring to Figure 1, an input image is segmented into a few regions of homogeneous properties, such as color and texture. The regions are evaluated for their saliency in terms of two independent but complementary feature types; structural features and semantic features. For example, recognition of human skin or faces is semantic while determination of what stands out generically is categorized as structural. Respecting structural features, a set of low-level vision features and a set of geometric features are extracted. Respecting semantic features, key subject matter frequently seen in photographic pictures are detected. The evidences from both types of features are integrated using a Bayes net-based reasoning engine to yield the final belief map of the main subject. For reference on Bayes nets, see J. Pearl, *Probabilistic Reasoning in Intelligent*

Systems, Morgan Kaufmann, San Francisco, CA, 1988, the contents of which are hereby incorporated by reference thereto.

One structural feature is *centrality*. In terms of location, the main subject tends to be located near the center instead of the periphery of the image, therefore, a high degree of *centrality* is indicative that a region is a main subject of an image. However, *centrality* does not necessarily mean a region is directly in the center of the image. In fact, professional photographers tend to position the main subject along lines and intersections of lines that divide an image into thirds, the so-called gold-partition positions or rule of a thirds.

It should be understood that the centroid of the region alone may not be sufficient to indicate the location of a region with respect to the entire image without any indication of its size and shape of the region. The *centrality* measure is defined by computing the integral of a probability density function (PDF) over the area of a given region. The PDF is derived from the “ground truth” data, in which the main subject regions are manually outlined and marked by a value of one and the background regions are marked by a value of zero, by summing the ground truth maps over an entire training set. In essence, the PDF represents the distribution of main subjects in terms of location. The *centrality* measure is devised such that every pixel of a given region, not just the centroid, contributes to the *centrality* measure of the region to a varying degree depending on its location. The *centrality* measure is defined as:

$$centrality = \frac{1}{N_R} \sum_{(x,y) \in R} PDF_{MSD_Location}(x,y) \quad [2]$$

where (x,y) denotes a pixel in the region R , N_R is the number of pixels in region R .

If the orientation is unknown, the PDF is symmetric about the center of the image in both vertical and horizontal directions, which results in an orientation-independent centrality measure. If the orientation is known, the PDF

is symmetric about the center of the image in the horizontal direction but not in the vertical direction, which results in an orientation-dependent centrality measure.

Another structural feature is *borderness*. Many background
 5 regions tend to contact one or more of the image borders. Therefore, a region that has significant amount of its contour on the image borders is more likely to belong to the background than to the main subject. Two measures are used to characterize the *borderness* of a region. They include the number of image borders that a region intersects (hereinafter “*borderness₁*”) and the percentage of a
 10 region’s perimeter along the image borders (hereinafter “*borderness₂*”).

When orientation is unknown, *borderness₁* is used to place a given region into one of six categories. This is determined by the number and configuration of image borders that the region is in contact with. A region is in contact with a border when at least one pixel in the region falls within a fixed
 15 distance of the border of the image. Distance is expressed as a fraction of the shorter dimension of the image. The six categories for *borderness₁* are: none, one border, two borders, two facing borders, three or four borders that the region contacts. The more contact a region has with a border increases the likelihood that the regions is not a main subject.

20 If the image orientation is known, the *borderness* feature can be redefined to account for the fact that a region that is in contact with the top border is much more likely to be background than a region that is in contact with the bottom border. This results in twelve categories for *borderness₁* determined by the number and configuration of image borders that the is region in contact with.
 25 Using the definition of “in contact with” from above, the four borders of the image are labeled as “Top”, “Bottom”, “Left”, and “Right” according to their position when the image is oriented with objects in the scene standing upright.

The second *borderness* features, *borderness₂*, is defined as the fraction of the region perimeter that is on the image border. This fraction,
 30 intrinsically, cannot exceed one-half, because to do so would mean the region has

a negative area, or a portion of the region exists outside the image area, which would be unknown for any arbitrary image. Since such a fraction cannot exceed one-half, the following definition is used to normalize the feature value to a range from zero to one.

5

$$\text{Borderness}_2 = 2 \times (\text{number_of_region_perimeter_pixels_on_image_border}) / (\text{number_of_region_perimeter_pixels}) \quad [3]$$

One of the semantic feature is human skin. According a study of a photographic image database of over 2000 images, over 70% of the photographic images have people and about the same number of images have sizable faces in them. Thus, skin tones are common in images. Indeed, people are the single most important subject in photographs. Therefore, an algorithm that can effectively detect the presence of skin tones is useful in identifying the main subject of an image.

In the present invention, the skin detection algorithm utilizes color image segmentation and a pre-determined skin distribution in a specific chrominance space, as: $P(\text{skin} \mid \text{chrominance})$. It is known by those skilled in the art that the largest variation between different races is along the luminance direction, and the impact of illumination sources is also primarily in the luminance direction. Thus, if a given region falls within the defined chrominance space, the probabilities are that it is skin, regardless of the level of luminance. For reference see Lee, "Color image quantization based on physics and psychophysics," Journal of Society of Photographic Science and Technology of Japan, Vol. 59, No. 1, pp. 212-225, 1996, which is hereby incorporated by reference thereto. The skin region classification is based on maximum probability according to the average color of a segmented region, as to where it falls within the predefined chrominance space. However, the decision as to whether a region is skin or not is primarily a binary one. Utilizing a gradient of skin belief values contradicts, to some extent, the purpose of identifying skin and assigning a higher belief value.

To counteract this issue, the skin probabilities are mapped to a belief output via a Sigmoid belief function, which serves as a “soft” thresholding operator. The Sigmoid belief function is understood by those skilled in the art.

Respecting the determination of whether a given region is a main subject or not, the task, is to determine the likelihood of a given region in the image being the main subject based on the posterior probability of:

$$P(\text{main subject detection} \mid \text{feature}) \quad [4]$$

In an illustrative embodiment of the present invention, there is one Bayes net active for each region in the image. Therefore, the probabilistic reasoning is performed on a per region basis (instead of per image).

In an illustrative embodiment, the output of main subject detection algorithm is a list of segmented regions ranked in descending order of the likelihood (or belief) that each is a main subject. This list can be readily converted into a belief map in which each region is located and is assigned a belief value proportional to the main subject belief of the region. Therefore, this map can be called a main subject belief map. Because of the gradient of belief values employed in the belief map, the belief map is more than a binary map that only indicates location of the determined main subject. The associated likelihood is also attached to each region so that the regions with large values correspond to regions with higher confidence, or belief, that it is part of the main subject.

To some extent, this belief map reflects the inherent uncertainty for humans to perform such a task as main subject detection because different observers would likely disagree on certain subject matter while agreeing on other subject matter in terms of which are main subjects. This illustrates a problem in binary main subject determinations. The subjective perception of each observer influences the apparent accuracy of the main subject detection algorithm. It is therefore impossible to detect the main subject exactly correctly because what is correct is held only in the opinion of each observer, which opinion varies from

observer to observer. However, a binary decision, when desired, can be readily obtained by using an appropriate threshold on the belief map, where regions having belief values above the threshold are arbitrarily defined as main subjects and those below the threshold are arbitrarily defined as background regions.

5 In several of the embodiments of the present invention, for determination of main subject emphasis, the main subject belief map having a gradient of belief values is utilized instead of a binarized version of the map to avoid making a bad decision that is visually objectionable to certain observers. This aspect of the present invention identifies a substantial advantage thereof in
10 that the emphasis process can be gradual, mitigating the sense that the main subject was inaccurately identified, as compared from observer to observer. Furthermore, using the gradient of belief values of the main subject helps conceal the artifacts introduced by an inaccurate determination of main subject and the background. A binary decision on what to include and what not to include, once
15 made, leaves little room for error. For example, even if portions of the main subject are not assigned the highest belief, with a gradual (as opposed to binary) saturation emphasizing process, it is likely they would retain a close level of saturation and blend, less noticeably, with the rest of the main subject. In other words, if an undesirable binary decision on what to include/exclude is made, there
20 is no recourse to correct the mistake. Consequently, the emphasizing result becomes sensitive to the robustness of the automatic main subject detection algorithm and the threshold used to obtain the binary decision. With a gradient-valued main subject belief map, every region or object is associated with a likelihood of being emphasized or de-emphasized. Moreover, secondary main
25 subjects are indicated by intermediate belief values in the main subject belief map, and can be somewhat emphasized according to a descending order of belief values while the main subject of highest belief values are emphasized the most.

 Reference is directed to Figure 2, which is a flow diagram of the first illustrative embodiment of the present invention. At step 14 an image
30 comprising pixels is input to the process that generates a belief map at step 16 for

the image as has been described hereinbefore. The belief map serves as a reference for the modification of selected properties of the pixel color values at step 18. The modified image is output at step 20.

The present invention contemplates that any of the pixel color properties may be altered in accordance with the gradient of belief values generated during the creation of the main subject belief map. In the hue, saturation, and luminance model for color definition, and of the hue, saturation and luminance values could be altered. The pixels in the regions having the highest belief values will be altered to the extreme opposite extent as those pixels in the regions having the lowest belief values. All those regions falling between the two extremes will have pixel modifications that fall in the continuum between the two extremes. The present invention contemplates 256 discrete belief values ranging from zero to 255. However, it is understood that any number or discrete belief values could be used, and that powers of two are preferable due to the nature of computations and data storage in a digital computer.

By way of example, and not limitation, the modification of pixel saturation values in proportion to the belief map values will be described. It is understood that a similar analysis would be appropriate for either the hue or luminance parameters. Color digital images may be created using digital camera, convention film cameras, or directly from computers running image or graphic generating software programs. In the case of conventional film cameras, the film is scanned using a digital scanner to create a digital representation of the film images. In the vast majority of situation, the images are created with the three color, or red, green, blue color model. Therefore, the pixel values in such images can be described by:

$$(r_{original}, b_{original}, g_{original})$$

[5]

By color conversation transformation, as is well understood in the art, the red, blue, green model is transformed to the hue, saturation, luminance model through the transformation:

$$(hue^{original}, saturation^{original}, luminance^{original}) = T(r^{original}, g^{original}, b^{original}) \quad [6]$$

A controlling function determines the proportionality of the subsequent emphasizing transformation. Examples of the controlling functions are:

$$\text{proportional: } f(belief) = a \times belief + f_0 \quad [7]$$

$$\text{inverse proportional } f(belief) = a / belief + f_0 \quad [8]$$

where f_0 is a pre-determined offset.

$$\text{The emphasizing transform then is: } saturation^{new} = saturation^{original} \times f(belief) \quad [9]$$

Having completed the emphasizing transformation, the hue, saturation, and luminance values are transformed back to red, blue, green values so that the data is made ready for subsequent processing, such as electronic display, printing, or other communication to a separate entity. The inverse color transform is:

$$(r^{new}, g^{new}, b^{new}) = T^{-1}(hue^{original}, saturation^{new}, luminance^{original}) \quad [10]$$

Reference is directed to Figure 3, which is a flow diagram of the second illustrative embodiment of the present invention. At step 22 an image comprising pixels is input to the process, which generates a main subject belief

map at step 24 as has been described hereinbefore. A threshold belief value is computed at step 26. The threshold may also be set arbitrarily, or derived from empirical data so as to select a reasonable value that discriminates between the main subject and background subjects at a reasonable level. In the illustrative embodiment, belief values range from zero to one. Selecting a mean point between the two is likely to be over inclusive of background subject matter because the background usually occupies the majority of the image area.

At step 28, a binary map is generated based on the belief map values as compared against the computed threshold. The binary map will identify each region as either main subject or background in a binary fashion. At step 30, the binary map is cleaned of artifacts and other inconsistencies, in the form of isolated small regions, by employing a median filtering operation. The median filtering operation is understood by those skilled in the art.

At step 32, certain pre-selected properties of pixels are modified in accordance with the binary map. At step 34, the image with emphasized main subject is output from the process.

It is clear that at step 32, any number of pre-selected properties could be used in the modification process. By way of example, and not limitation the pre-selected property of background saturation will be used to more fully develop this illustrative embodiment.

The color transform is first accomplished for the entire image by:

$$(hue^{original}, saturation^{original}, luminance^{original}) = T(r^{original}, g^{original}, b^{original}) \quad [11]$$

Next, the luminance value for each pixel in a region identified as a background region is calculated. The color values are replaced with the luminance values for these pixels according to the emphasizing transformation:

$$saturation^{new} = \begin{cases} 0 & belief \leq threshold \\ saturation^{original} & otherwise \end{cases} \quad [12]$$

Finally, the inverse color transform is applied:

$$(r^{new}, g^{new}, b^{new}) = T^{-1}(hue^{original}, saturation^{new}, luminance^{original}) \quad [13]$$

5

Reference is directed to Figure 4 which is a flow diagram of the third illustrative embodiment of the present invention. At step 36 an image comprising pixels is input to the process which generates a main subject belief map at step 38 as was described hereinbefore. A background threshold and a main subject threshold are computed at step 40. This step differs from the previous illustrative embodiment in that there are two thresholds. The background threshold sets the maximum belief value for regions that will be deemed to be background. Likewise, the main subject threshold sets the minimum belief value for regions that will be deemed as main subjects. The regions associated with belief values that fall between the background threshold and the main subject threshold are neither background nor main subject and will be treated separately in the emphasizing function. Rather, these regions are called secondary subject regions.

A map is generated at step 42 which assigns one of three values to each region indicated whether such region is a background region, a secondary subject region or a main subject region. At step 44, certain pre-selected properties of the pixels in the images are modified according to the map created in step 42. Finally, at step 46, the emphasized image is output for subsequent processing or utilization.

It is clear that at step 44, any number of pre-selected properties could be used in the modification process. By way of example, and not limitation, the pre-selected property of color saturation will be used to more fully develop this illustrative embodiment.

First, the color transform is calculated as:

$$(hue^{original}, saturation^{original}, luminance^{original}) = T(r^{original}, g^{original}, b^{original}) \quad [14]$$

30

The belief values are re-mapped according to the computed belief values according to the controlling function:

$$\text{proportional: } f(\text{belief}) = (\text{belief} - \text{belief}_{\min}) / (\text{belief}_{\max} - \text{belief}_{\min}) + f_0 \quad [15]$$

$$\text{inverse proportional } f(\text{belief}) = (\text{belief}_{\max} - \text{belief}_{\min}) / (\text{belief} - \text{belief}_{\min}) + f_0$$

[16]

where f_0 is a pre-determined offset.

10

And remapped per:

$$\text{belief} = \begin{cases} \text{belief}_{\min} & \text{belief}^{\text{original}} \leq \text{threshold}_{\text{background}} \\ \text{belief}_{\max} & \text{belief}^{\text{original}} \geq \text{threshold}_{\text{mainsubject}} \\ \text{belief}^{\text{original}} & \text{otherwise} \end{cases} \quad [17]$$

15

$$\text{belief}_{\min} = \text{threshold}_{\text{background}}, \text{belief}_{\max} = \text{threshold}_{\text{mainsubject}} \quad [18]$$

With this transform, the minimum belief value is set for all regions with a belief value less than the background threshold value, which sets those regions to black and white. Similarly, the regions having belief values greater than the main subject threshold value are set to the maximum belief value causing these regions, which are the main subject, to be remapped as hyper-saturated regions. The remaining regions that fall between the two thresholds retain their original belief values and are mapped accordingly.

25

All of the pixels having been remapped as to belief values, the emphasizing transform is processed to assign the new color values:

$$\text{saturation}^{\text{new}} = \text{saturation}^{\text{original}} \times f(\text{belief}) \quad [19]$$

And finally, the inverse color transform is processed to produce the output, main subject emphasized image:

$$(r^{new}, g^{new}, b^{new}) = T^{-1}(hue^{original}, saturation^{new}, luminance^{original}) \quad [20]$$

In addition to varying the color characteristics of the pixel in an image to emphasize a main subject, other aspects of the image can be varied to achieve a similar emphasis effect. This includes, but is not limited to, region focus, region depth of field, region contrast, and region sharpness. By way of example, and not limitation, what follows is a discussion on blurring the background regions out of focus for the purpose of emphasizing the main subject, which remains in focus and has no blurring effect applied thereto.

The process of blurring a region comprises the steps of determining a background threshold and a main subject threshold value for the belief map, computing a blur value for each pixel in the image, and modifying the blur values of pixels in the digital image according to the belief values in such a way that the sharpness of main subject pixels is retained or increased, while the sharpness of the background is reduced, thereby blurring the background.

A blur value of a pixel can be computed using a blur kernel of size 3x3 pixels, centered at the current pixel. The blur values of all pixels are obtained by convolving the kernel with the original image. Those who are skilled in the art can select any kernel of low-pass filtering characteristic and of any size to achieve desired effect. In the case of a 3x3 blur kernel, a suitable blur value matrix (to be normalized by a factor of 1/16) is:

$$\begin{bmatrix} 1 & 2 & 1 \\ 2 & 4 & 2 \\ 1 & 2 & 1 \end{bmatrix}$$

The processes disclosed in the present invention are generally accomplished automatically by a computer. This is consistent with the area of technology that deals with digital image processing in general. As such, any of a variety of computer systems and implementations could be used to accomplish the present invention.

The source of digital images may come from digital cameras which may store the images in an internal memory, or may have a removable RAM memory device for transferring digital images, or may utilize a storage medium such as a floppy disk, CD-ROM, or utilize a cable interface to another digital computer. Digital images may come from the scanning of conventional film exposed in a conventional camera and processed in the conventional manner. Digital images may also be entirely man-made though use of a computer. In any event, a digital file containing one or more digital images is ultimately transferred into a memory in a digital computer for processing.

An important feature of the present invention is the high level of automation and the general elimination of user input in the emphasizing process. The only selection to be made is as to what kind of emphasizing is desired. Such as turning the background to black and white, or hyper-saturating the main subject, or inverting the main subject to a negative image, or brightening the main subject and so on. In any case, the identification of the main subject, secondary subjects and background subjects is automated. So is the process of transforming the pixel data and applying the emphasizing functions and transforms. The input and output procedures can be automated as well.

The physical implementation can be on a personal computer running a software application that implements the emphasizing process. A user would transfer one or more digital images into the personal computer and store them in the computer memory or mass storage device. The type of emphasizing function could be present or selected by the user. The emphasizing processes would be accomplished by the central processing unit of the personal computer and the resultant emphasized image would be stored as a separate file in the

5 For example, there are a number of commercially available digital imaging editing programs which allow a broad range of manual photo editing features. Such a software application would benefit from having the automated emphasizing processes incorporated as a new feature to such software.

For a more localized commercial approach, the computer could be located in a kiosk or mini-lab machine. Consumers would deliver their digital images in one of the aforementioned manners and the kiosk or minilab machine would accomplish the emphasizing process and make photographic prints on an internal printer. The finished prints then are delivered to the consumer. The user may have a choice of not only receiving one or more enhanced versions of the images, but unemphasized prints as well.

In application, an image may have a greatly varying number of
30 homogenous regions. This could range from a tightly cropped head-shot portrait

with a uniform background to a distant landscape/cityscape with a huge number of picture elements. Computers are uniquely qualified to handle such repetitive analytical tasks. Reference is directed to Figure 5 which is a schematic diagram of a exemplary digital image processing by the present invention. The digital image

5 48 comprises a number of regions. Generally filling the frame in this example are the sky 50 and ground 58. In the sky 50 are clouds 52. A tree 54 stands on the ground 58. A tent 56 is in view as well as a portion of an automobile 60. A man 62 and woman 64 are standing with a dog 68 in the foreground. The primary issue in processing this image for emphasis is the question as to what the main subject

10 is. From a subjective point of view one might argue that it is a picture of two people. Another might argue that it is a picture of a campsite. Still another that it is a landscape picture. What is correctly the main subject is very much dependent upon this subjective inquiry.

From the perspective of the present invention, the image 48 is

15 already segmented according to regions of homogeneous color or texture. The schematic nature of Figure 5 depicts this. The faces of the man and women 70 and 76 are identified by the semantic quality skin. The structural relationship of the man's clothing 72 and 74 tie them to the face 70. Similarly, the woman's clothing 78 is tied to her face 76. Her legs 80 may be of skin tone or clothed.

20 These regions would all receive a relatively high belief value under the present invention. Under the *borderiness* constraints, the sky 50 and ground 58 would be assigned relatively low belief values because each contact three boarders of the image. The automobile 60 would receive the second lowest belief value as it is on contact with two boarders. The next higher belief value would be assigned to the

25 clouds 52 as they are in contact with one boarder. This leaves the tree 54, the tent 56, and the dog 68, which would all be assigned intermediate values, called secondary subject values. The dog may receive a slightly higher belief value depending on its color, or whether its close proximity to the regions of the people cause it to be structurally associated therewith.

From this analysis, the belief values would be assigned, in the order from highest to lowest, to the people 62 and 64, the dog 68, the tent and tree 56 and 54, and cloud 52, the automobile 60 and finally the sky and ground 52 and 58. Assuming that an emphasizing algorithm that adjust color saturation is selected and utilizes two threshold values for background and main subject, the emphasized image would appear as follows. The both of the people 62 and 64, and perhaps the dog 68 would appear in a hyper-saturated color. The car 60, the tent 56, the tree 54, and the cloud 52 would retain their original color, and, the ground 58 and sky 50 would appear in a reduced saturation form, perhaps black and white.

Taking this from the perspective of the subjective observers mentioned above, the individual who thought of this as a portrait of two people would be satisfied in that the people in the image would have been plainly emphasized by the process of the present invention. The observer that viewed this as an image of a campsite would be fairly satisfied as the basic element of the campsite; the tent 56, the tree 54, as well as the people, dog, and car would be rendered in color. Perhaps the observer that viewed this image as a landscape would be less satisfied, however, the elements of reduced saturation, the sky and the ground are of somewhat reduced importance, even in a landscape image. This it is understood that the present inventions serves the function of emphasizing a main subject quite effectively, especially in view of the subjective differences that multiple observes have over any given image.

Thus, the present invention has been described herein with reference to a particular embodiment for a particular application. Those having ordinary skill in the art and access to the present teachings will recognize additional modifications, applications and embodiments within the scope thereof. For example,

It is therefore intended by the appended claims to cover any and all such applications, modifications and embodiments within the scope of the present invention.

WHAT IS CLAIMED IS:

1. A system for modifying an image having pixels, comprising:
means for automatically identifying a main subject of the image,
and
means for altering pixel values to emphasize said main subject.
2. The system of Claim 1 wherein said means for altering
emphasizes said main subject by altering pixel values that are a part of said main
subject.
3. The system of Claim 1 wherein said means for altering
emphasizes said main subject by altering pixel values that are not a part of said
main subject.
4. The system of Claim 4 wherein said means for identifying
further comprises:
means for segmenting the image into a plurality of regions based
on uniform image characteristics;
means for calculating a level of saliency for said plurality of
regions, and
means for assigning a believe value to the pixels corresponding to said level of
saliency.
5. The system of Claim 4 wherein said image characteristic is pixel
color.
6. The system of Claim 4 wherein said image characteristic is
texture.

7. The system of Claim 4 wherein said means for calculating calculates said level of saliency as proportional to a region feature.

8. The system of Claim 4 wherein said means for calculating calculates said level of saliency as proportional to a combination of region features.

9. The system of Claim 4 wherein said means for calculating calculates said level of saliency as proportional to a structural region feature.

10. The system of Claim 4 wherein said means for calculating calculates said level of saliency as proportional to a semantic region feature.

11. The system of Claim 4 wherein said means for segmenting orders said belief values according to a probability that a region is a main subject.

12. A system of modifying an image having pixels, comprising:
means for automatically generating at least a first belief value associated with one of a plurality of regions of the image, said belief values related to the probability that the associated region is a main subject of the image and

means for altering pixel values in said plurality of regions in relation to said associated belief values.

13. The system of Claim 12 further comprising:
means for determining a threshold belief value discriminating main subject regions and background regions, and wherein
said means for altering further comprises a means for desaturating the pixels in said background regions.

14. The system in Claim 13 wherein said means for desaturating further comprises:

means for calculating the luminance values for the pixels in said background regions, and

means for replacing the color values of the pixels in said background regions with their respective luminance values.

15. The system of Claim 12 wherein said means for altering further comprises:

means for computing a saturation value for each pixel, and

means for altering the pixel saturation values according to said associated belief values.

16. The system of Claim 12 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises a means for enhancing saturation of the pixels in said main subject regions.

17. The system of Claim 12 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises:

means for computing a saturation value for each pixel in said background regions, and

means for altering the pixel saturation values in said background regions according to said associated belief values.

18. The system of Claim 12 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering means further comprises:

means for computing a saturation value for each pixel in said main subject regions, and

means for altering the pixel saturation values in said main subject regions according to said associated belief values.

19. The system of Claim 12 wherein said means for altering further comprises:

means for computing a luminance value for each pixel, and

means for altering the pixel luminance values according to said associated belief values.

20. The system of Claim 12 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises means for altering the pixel luminance values in said main subject regions according to said associated belief values.

21. The system of Claim 12 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises means for altering the pixel luminance values in said main subject regions according to said associated belief values.

22. The system of Claim 12 wherein said means for altering further comprises:

means for computing a hue value for each pixel, and
means for altering the pixel hue values according to said associated belief values.

23. The system of Claim 12 further comprising:
means for determining a threshold belief value discriminating main
subject regions and background regions, and wherein
said means for altering further comprises means for altering the
pixel hue values in said main subject regions according to said associated belief
values.

24. The system of Claim 12 further comprising:
means for determining a threshold belief value discriminating main
subject regions and background regions, and wherein
said means for altering further comprises means for altering the
pixel hue values in said main subject regions according to said associated belief
values.

25. The system of Claim 12 further comprising:
means for determining a threshold belief value discriminating main
subject regions and background regions, and wherein
said means for altering further comprises means for inverting the
pixel hue values in said main subject regions.

26. The system of Claim 12 further comprising:
means for determining a threshold belief value discriminating main
subject regions and background regions, and wherein
said means for altering further comprises means for of inverting the
pixel hue values in said background regions.

27. The system of Claim 12 wherein said means for altering further comprises:

means for computing a blur value for each pixel, and
means for altering the pixel blur values according to said associated belief values.

28. The system of Claim 12 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein
said means for altering further comprises means for calculating a pixel blur value for each pixel, and means for altering the pixel blur values in said background regions according to said associated belief values.

29. A system of modifying an image having pixels, comprising:

means for automatically generating a main subject belief map containing values indicating the location of a plurality of regions in the image, said main subject belief map containing at least a first belief value associated with one of said plurality of regions, said belief values related to the probability that the associated region is a main subject of the image;

means for altering pixel values in said plurality of regions in relation to said associated belief value.

30. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises a means for desaturating the pixels in said background regions.

31. The system in Claim 30 wherein said means for desaturating further comprises:

means for calculating the luminance values for the pixels in said background regions, and

means for replacing the color values of the pixels in said background regions with their respective luminance values.

32. The system of Claim 29 wherein said means for altering further comprises:

means for computing a saturation value for each pixel, and

means for altering the pixel saturation values according to said associated belief values.

33. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises a means for enhancing saturation of the pixels in said main subject regions.

34. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises:

means for computing a saturation value for each pixel in said background regions, and

means for altering the pixel saturation values in said background regions according to said associated belief values.

35. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering means further comprises:

40. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises means for altering the pixel hue values in said main subject regions according to said associated belief values.

41. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises means for altering the pixel hue values in said main subject regions according to said associated belief values.

42. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises means for inverting the pixel hue values in said main subject regions.

43. The system of Claim 29 further comprising:

means for determining a threshold belief value discriminating main subject regions and background regions, and wherein

said means for altering further comprises means for of inverting the pixel hue values in said background regions.

44. The system of Claim 29 wherein said means for altering

further comprises:

means for computing a blur value for each pixel, and

45. The system of Claim 20 further comprising:
means for determining a threshold belief value discriminating main
subject regions and background regions, and wherein
said means for altering further comprises means for calculating a
pixel blur value for each pixel, and means for altering the pixel blur values in said
background regions according to said associated belief values.

automatically identifying a main subject of the image, and altering pixel values to emphasize said main subject.

48. The method of Claim 46 wherein said main subject is emphasized by altering pixel values that are not a part of said main subject.

49. The method of Claim 46 wherein said identifying step comprises the steps of:

- segmenting the image into a plurality of regions based on uniform image characteristics;
- calculating a level of saliency for said plurality of regions, and
- assigning a believe value to the pixels corresponding to said level of saliency.

50. The method of Claim 49 wherein said image characteristic is pixel color.

51. The method of Claim 49 wherein said image characteristic is texture.

52. The method of Claim 49 wherein said level of saliency is calculated as proportional to a region feature.

53. The method of Claim 49 wherein said level of saliency is calculated as proportional to a combination of region features.

54. The method of Claim 49 wherein said level of saliency is calculated as proportional to a structural region feature.

55. The method of Claim 49 wherein said level of saliency is calculated as proportional to a semantic region feature.

56. The method of Claim 49 wherein said belief values are ordered according to a probability that a region is a main subject.

57. A method of modifying an image having pixels, comprising the steps of:

automatically generating at least a first belief value associated with one of a plurality of regions of the image, said belief values related to the probability that the associated region is a main subject of the image;

altering pixel values in said plurality of regions in relation to said associated belief values.

58. The method of Claim 57 further comprising the steps of:

determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the step of desaturating the pixels in said background regions.

59. The method in Claim 58 wherein said desaturation step comprises the steps of:

calculating the luminance values for the pixels in said background regions;

replacing the color values of the pixels in said background regions with their respective luminance values.

60. The method of Claim 57 wherein said altering step comprises the steps of:

computing a saturation value for each pixel, and

altering the pixel saturation values according to said associated belief values.

61. The method of Claim 57 further comprising the steps of:
determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the step of enhancing saturation of the pixels in said main subject regions.

62. The method of Claim 57 further comprising the steps of:
determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the steps of:

computing a saturation value for each pixel in said background regions, and

altering the pixel saturation values in said background regions according to said associated belief values.

63. The method of Claim 57 further comprising the steps of:
 determining a threshold belief value discriminating main subject regions and background regions, and wherein
 said altering step comprises the steps of:
 computing a saturation value for each pixel in said main subject regions, and
 altering the pixel saturation values in said main subject regions according to said associated belief values.

64. The method of Claim 57 wherein said altering step comprises the steps of:
 computing a luminance value for each pixel, and
 altering the pixel luminance values according to said associated belief values.

65. The method of Claim 57 further comprising the steps of:
 determining a threshold belief value discriminating main subject regions and background regions, and wherein
 said altering step comprises the step of altering the pixel luminance values in said main subject regions according to said associated belief values.

66. The method of Claim 57 further comprising the steps of:
 determining a threshold belief value discriminating main subject regions and background regions, and wherein
 said altering step comprises the step of altering the pixel luminance values in said main subject regions according to said associated belief values.

67. The method of Claim 57 wherein said altering step comprises the steps of:

computing a hue value for each pixel, and
altering the pixel hue values according to said associated belief values.

68. The method of Claim 57 further comprising the steps of:

determining a threshold belief value discriminating main subject regions and background regions, and wherein
said altering step comprises the step of altering the pixel hue values in said main subject regions according to said associated belief values.

69. The method of Claim 57 further comprising the steps of:

determining a threshold belief value discriminating main subject regions and background regions, and wherein
said altering step comprises the step of altering the pixel hue values in said main subject regions according to said associated belief values.

70. The method of Claim 57 further comprising the steps of:

determining a threshold belief value discriminating main subject regions and background regions, and wherein
said altering step comprises the step of inverting the pixel hue values in said main subject regions.

71. The method of Claim 57 further comprising the steps of:

determining a threshold belief value discriminating main subject regions and background regions, and wherein
said altering step comprises the step of inverting the pixel hue values in said background regions.

computing a blur value for each pixel, and
altering the pixel blur values according to said associated belief
.

said altering step comprises the steps of calculating a pixel blur value for each pixel, and altering the pixel blur values in said background regions according to said associated belief values.

automatically generating a main subject belief map containing values indicating the location of a plurality of regions in the image, said main subject belief map containing at least a first belief value associated with one of said plurality of regions, said belief values related to the probability that the associated region is a main subject of the image;

75. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject
background regions, and wherein

said altering step comprises the step of desaturating the pixels in said background regions.

76. The method in Claim 75 wherein said desaturation step comprises the steps of:

calculating the luminance values for the pixels in said background regions;

replacing the color values of the pixels in said background regions with their respective luminance values.

77. The method of Claim 74 wherein said altering step comprises the steps of:

computing a saturation value for each pixel, and

altering the pixel saturation values according to said associated belief values.

78. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the step of enhancing saturation of the pixels in said main subject regions.

79. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the steps of:

computing a saturation value for each pixel in said background regions, and

altering the pixel saturation values in said background regions according to said associated belief values.

80. The method of Claim 74 further comprising the steps of:

determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the steps of:

computing a saturation value for each pixel in said main subject regions, and

altering the pixel saturation values in said main subject regions according to said associated belief values.

81. The method of Claim 74 wherein said altering step comprises the steps of:

computing a luminance value for each pixel, and

altering the pixel luminance values according to said associated belief values.

82. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the step of altering the pixel luminance values in said main subject regions according to said associated belief values.

83. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject regions and background regions, and wherein

said altering step comprises the step of altering the pixel luminance values in said main subject regions according to said associated belief values.

84. The method of Claim 74 wherein said altering step comprises the steps of:

computing a hue value for each pixel, and

altering the pixel hue values according to said associated belief values.

85. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject
regions and background regions, and wherein
said altering step comprises the step of altering the pixel hue values
in said main subject regions according to said associated belief values.

86. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject
regions and background regions, and wherein
said altering step comprises the step of altering the pixel hue values
in said main subject regions according to said associated belief values.

87. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject
regions and background regions, and wherein
said altering step comprises the step of inverting the pixel hue
values in said main subject regions.

88. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject
regions and background regions, and wherein
said altering step comprises the step of inverting the pixel hue
values in said background regions.

89. The method of Claim 74 wherein said altering step comprises the steps of:

computing a blur value for each pixel, and

90. The method of Claim 74 further comprising the steps of:
determining a threshold belief value discriminating main subject
regions and background regions, and wherein

said altering step comprises the steps of calculating a pixel blur value for each pixel, and altering the pixel blur values in said background regions according to said associated belief values.




Fig. 1




Fig. 2




Fig. 3


[illegible]

Fig. 4

Combined Declaration For Patent Application and Power of Attorney

ATTORNEY DOCKET
80632DMW

As below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

DIGITAL IMAGE PROCESSING SYSTEM AND METHOD FOR EMPHASIZING A MAIN SUBJECT OF AN IMAGE

The specification of which (check only one item below):

- ☒ is attached hereto.
- ☐ was filed as United States Application Serial No. on and
was amended on (if applicable).
- ☐ was filed as PCT international application Number on and was amended under PCT Article 19 on (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the U.S. Patent & Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign applications(s) for patent or inventor's certificate or any PCT international application(s) designating a least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:

COUNTRY (if PCT, indicate PCT)	APPLICATION NUMBER	DATE OF FILING (day month year)	PRIORITY CLAIMED UNDER 35 USC §119			
			<input type="checkbox"/>	YES	<input type="checkbox"/>	NO
			<input type="checkbox"/>	YES	<input type="checkbox"/>	NO
			<input type="checkbox"/>	YES	<input type="checkbox"/>	NO

I hereby claim the benefit under Title 35, United States Code, 119 §(e) of any United States provisional application(s) listed below:

PRIOR PROVISIONAL APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. §119 (e):

PROVISIONAL APPLICATION NUMBER	FILING DATE

I hereby claim the benefit under Title 35, United States Code, §120 of any prior United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior applications(s) in the manner provided by the first paragraph of Title 35, §112, I acknowledge the duty to disclose to the U.S. Patent & Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations §1.56, which became available between the filing date of the prior application(s) and the national or PCT international filing date of this application:

PRIOR US APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS DESIGNATING THE U.S FOR BENEFIT UNDER 35 USC §120:



U.S. APPLICATIONS			STATUS (Check one)		
U.S. APPLICATION NUMBER	U.S. FILING DATE		PATENTED	PENDING	ABANDONED
PCT APPLICATIONS DESIGNATING THE U.S.					
PCT APPLICATION NO.	PCT FILING DATE	U.S. SERIAL NUMBERS ASSIGNED (if any)			

POWER OF ATTORNEY: As a named inventor, I hereby appoint the attorney(s) and/or agent(s) associated with Eastman Kodak Company Customer No. 01333 to prosecute this application and transact all business in the Patent and Trademark Office connected therewith.

Send Correspondence to: Patent Legal Staff Eastman Kodak Company 343 State Street Rochester, NY 14650-2201	Direct Telephone Calls to: <i>(name and telephone number)</i> David M. Woods (716) 477-5256 FAX: (716) 477-4646
---	--

2	FULL NAME OF INVENTOR	FAMILY NAME Luo	FIRST GIVEN NAME Jiebo	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY 805 University Park Rochester	STATE OR FOREIGN COUNTRY New York 14620 USA	COUNTRY OF CITIZENSHIP PRC
1	BUSINESS ADDRESS	BUSINESS ADDRESS Eastman Kodak Company	CITY 343 State Street, Rochester	STATE & ZIP CODE (COUNTRY) New York 14650 USA
2	FULL NAME OF INVENTOR	FAMILY NAME Gray	FIRST GIVEN NAME Robert	SECOND GIVEN NAME T.
0	RESIDENCE & CITIZENSHIP	CITY 225 Frankland Road Rochester	STATE OR FOREIGN COUNTRY New York 14617 USA	COUNTRY OF CITIZENSHIP US
2	BUSINESS ADDRESS	BUSINESS ADDRESS Eastman Kodak Company	CITY 343 State Street, Rochester	STATE & ZIP CODE (COUNTRY) New York 14650 USA
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
3	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
4	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
5	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)
2	FULL NAME OF INVENTOR	FAMILY NAME	FIRST GIVEN NAME	SECOND GIVEN NAME
0	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP
6	BUSINESS ADDRESS	BUSINESS ADDRESS	CITY	STATE & ZIP CODE (COUNTRY)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201 	SIGNATURE OF INVENTOR 202 	SIGNATURE OF INVENTOR 203
DATE 8/17/2000	DATE 8/17/2000	DATE
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205	SIGNATURE OF INVENTOR 206
DATE	DATE	DATE